

2018 年度

[Recurrent Stroke and Bleeding Events after Acute Cardioembolic Stroke-Analysis Using Japanese Healthcare Database from Acute-Care Institutions.](#)

Yasaka M, Koretsune Y, Yamashita T, Oda E, Matsubayashi D, Ota K, Kobayashi M, Matsushita Y, Kaburagi J, Ibusuki K, Takita A, Iwashita M, Yamaguchi T.
J Stroke Cerebrovasc Dis. 2018 Apr;27(4):1012-1024. doi: 10.1016/j.jstrokecerebrovasdis.2017.11.002. Epub 2017 Dec 12.

PMID:29246672

[Overview and proposed terminology for the reverse controlled antegrade and retrograde tracking \(reverse CART\) techniques.](#)

Matsuno S, Tsuchikane E, Harding SA, Wu EB, Kao HL, Brilakis ES, Mashayekhi K, Werner GS.
EuroIntervention. 2018 May 20;14(1):94-101. doi: 10.4244/EIJ-D-17-00867. Review.

PMID:29360064

[Prediction of Thrombotic and Bleeding Events After Percutaneous Coronary Intervention: CREDO-Kyoto Thrombotic and Bleeding Risk Scores.](#)

Natsuaki M, Morimoto T, Yamaji K, Watanabe H, Yoshikawa Y, Shiomi H, Nakagawa Y, Furukawa Y, Kadota K, Ando K, Akasaka T, Hanaoka KI, Kozuma K, Tanabe K, Morino Y, Muramatsu T, Kimura T; CREDO - Kyoto PCI/CABG Registry Cohort 2, RESET, and NEXT trial investigators.
J Am Heart Assoc. 2018 May 22;7(11). pii: e008708. doi: 10.1161/JAHA.118.008708.

PMID:29789335

[Relationship between the prognostic value of ventilatory efficiency and age in patients with heart failure.](#)

Kato Y, Suzuki S, Uejima T, Semba H, Nagayama O, Hayama E, Arita T, Yagi N, Kano H, Matsuno S, Otsuka T, Oikawa Y, Kunihara T, Yajima J, Yamashita T.
Eur J Prev Cardiol. 2018 May;25(7):731-739. doi: 10.1177/2047487318758775. Epub 2018 Feb 13.

PMID:29433335

エドキサバン口腔内崩壊錠（OD錠）官能評価の臨床研究

山下武志, 萩井譲士, 森島義行, 赤坂高明, 松本卓之, 木村哲也
Ther Res. 2018;39:399-417.

非弁膜症性心房細動患者に対するエドキサバンの費用効果分析

是恒之宏, 井上 博, 山下武志, 井上幸恵, 赤坂高明, 木村哲也
Ther Res. 2018;39:419-439.

[Cardiovascular Outcome and Mortality in Patients Undergoing Endovascular Treatment for Symptomatic Peripheral Artery Disease - Short-Term Results of the Toma-Code Registry.](#)

Higashitani M, Uemura Y, Mizuno A, Utsunomiya M, Yamaguchi T, Matsui A, Ozaki S, Tobita K, Tosaka A, Oida A, Suzuki K, Kodama T, Jujo K, Doijiri T, Takahashi Y, Matsuno S, Kaneko N, Moriguchi A, Kishi S, Anzai H; Toma-Code Registry Investigators.
Circ J. 2018 Jun 25;82(7):1917-1925. doi: 10.1253/circj.CJ-18-0105. Epub 2018 May 11.

PMID:29760308

[Design and rationale for the Japanese Registry of Rivaroxaban Effectiveness & Safety for the Prevention of Recurrence in Patients with Deep Vein Thrombosis and Pulmonary Embolism \(J'xactly\) study.](#)

Okumura Y, Fukuda I, Nakamura M, Yamada N, Takayama M, Maeda H, Yamashita T, Ikeda T, Mo M, Yamazaki T, Hirayama A; J'xactly Investigators.

BMJ Open. 2018 Jun 22;8(6):e020286. doi: 10.1136/bmjopen-2017-020286.

PMID:29934383

[Clinical Significance of the Presence of Oscillatory Breathing Both at Rest and During Exercise in Cardiac Patients.](#)

Himi T, Koike A, Nagayama O, Kato Y, Nishi I, Sato A, Yamashita T, Aonuma K.

Int Heart J. 2018 Jul 31;59(4):713-718. doi: 10.1536/ihj.17-335. Epub 2018 Jun 6.

PMID:29877304

[The predictive role of E/e' on ischemic stroke and atrial fibrillation in Japanese patients without atrial fibrillation.](#)

Arai R, Suzuki S, Semba H, Arita T, Yagi N, Otsuka T, Sagara K, Sasaki K, Kano H, Matsuno S, Kato Y, Uejima T, Oikawa Y, Kunihara T, Yajima J, Yamashita T.

J Cardiol. 2018 Jul;72(1):33-41. doi: 10.1016/j.jjcc.2018.01.001. Epub 2018 Feb 13.

PMID:29452763

[An analysis on distribution and inter-relationships of biomarkers under rivaroxaban in Japanese patients with non-valvular atrial fibrillation \(CVI ARO 1\).](#)

Suzuki S, Yamashita T, Kasai H, Otsuka T, Sagara K.

Drug Metab Pharmacokinet. 2018 Aug;33(4):188-193. doi: 10.1016/j.dmpk.2018.02.002. Epub 2018 Mar 15.

PMID:29773500

[Renal Dysfunction Affects Anticoagulation Control With Warfarin and Outcomes in Japanese Elderly Patients With Non-Valvular Atrial Fibrillation.](#)

Inoue H, Kodani E, Atarashi H, Okumura K, Yamashita T, Origasa H; J-RHYTHM Registry Investigators. Circ J. 2018 Aug 24;82(9):2277-2283. doi: 10.1253/circj.CJ-18-0242. Epub 2018 Jul 6.

PMID:29984788

The Role of the Retrograde Approach in Percutaneous Coronary Interventions for Chronic Total Occlusions : Insights from the Japanese Retrograde Summit Registry.

Sekiguchi M, Muramatsu T, Kashima Y, Okamura A, Tsuchikane E, Mutoh M, Yamane M, Habara M, Oikawa Y, Yoshikawa R.

Interv. Cardiol. 2018;10(4): 97–104.

[Clinical significance of respiratory compensation during exercise testing in cardiac patients.](#)

Qin R, Koike A, Nagayama O, Takayanagi Y, Wu L, Nishi I, Kato Y, Sato A, Yamashita T, Aonuma K, Ieda M.

Biosci Trends. 2018 Sep 19;12(4):432-437. doi: 10.5582/bst.2018.01165. Epub 2018 Aug 12.

PMID:30101836

[Time in Therapeutic Range and Disease Outcomes in Elderly Japanese Patients With Nonvalvular Atrial Fibrillation.](#)

Inoue H, Kodani E, Atarashi H, Okumura K, Yamashita T, Okuyama Y, Origasa H; J-RHYTHM Registry Investigators.

Circ J. 2018 Sep 25;82(10):2510-2517. doi: 10.1253/circj.CJ-18-0587. Epub 2018 Aug 28.

PMID:30158401

[Efficacy of biolimus A9-eluting stent for treatment of right coronary ostial lesion with intravascular ultrasound guidance: a multi-center registry.](#)

Nasu K, Oikawa Y, Habara M, Shirai S, Abe H, Kadotani M, Gotoh R, Hozawa H, Ota H, Suzuki T, Shibata Y, Tanabe M, Nakagawa Y, Serikawa T, Nagasaka S, Takeuchi Y, Fujimoto Y, Tamura H, Kobori Y, Yajima J, Aizawa T, Suzuki T; NO-RECOIL Registries Investigators.

Cardiovasc Interv Ther. 2018 Oct;33(4):321-327. doi: 10.1007/s12928-017-0487-4. Epub 2017 Sep 19.

PMID:28929334

[Prognostic value of the heart rate profile during exercise in patients with atrial fibrillation.](#)

Aihara K, Kato Y, Suzuki S, Arita T, Yagi N, Semba H, Kano H, Matsuno S, Otsuka T, Uejima T, Oikawa Y, Kunihara T, Yajima J, Yamashita T.

Eur J Prev Cardiol. 2018 Oct;25(15):1634-1641. doi: 10.1177/2047487318797398. Epub 2018 Aug 30.

PMID:30160179

[Prospective observational study in elderly patients with non-valvular atrial fibrillation: Rationale and design of the All Nippon AF In the Elderly \(ANAFIE\) Registry.](#)

Inoue H, Yamashita T, Akao M, Atarashi H, Ikeda T, Okumura K, Koretsune Y, Shimizu W, Tsutsui H, Toyoda K, Hirayama A, Yasaka M, Yamaguchi T, Akishita M, Hasebe N, Kario K, Mizokami Y, Nagata K, Nakamura M, Terauchi Y, Yamamoto T, Teramukai S, Kimura T, Kaburagi J, Takita A.
J Cardiol. 2018 Oct;72(4):300-306. doi: 10.1016/j.jjcc.2018.02.018. Epub 2018 Apr 3.

PMID:29625717

日本人慢性（持続性・永続性）心房細動患者を対象としたビソプロロール貼付剤（TY-0201）の長期投与時の安全性および有効性の検討（LONG BISONO-AF study）

山下武志, 池田隆徳, 秋田康彦

Progress in Medicine. 2018;38:1377-1386.

[Open-Label Randomized Trial Comparing Oral Anticoagulation With and Without Single Antiplatelet Therapy in Patients With Atrial Fibrillation and Stable Coronary Artery Disease Beyond 1 Year After Coronary Stent Implantation.](#)

Matsumura-Nakano Y, Shizuta S, Komasa A, Morimoto T, Masuda H, Shiomi H, Goto K, Nakai K, Ogawa H, Kobori A, Kono Y, Kaitani K, Suwa S, Aoyama T, Takahashi M, Sasaki Y, Onishi Y, Mano T, Matsuda M, Motooka M, Tomita H, Inoko M, Wakeyama T, Hagiwara N, Tanabe K, Akao M, Miyauchi K, Yajima J, Hanaoka K, Morino Y, Ando K, Furukawa Y, Nakagawa Y, Nakao K, Kozuma K, Kadota K, Kimura K, Kawai K, Ueno T, Okumura K, Kimura T; OAC-ALONE Study Investigators.
Circulation. 2019 Jan 29;139(5):604-616. doi: 10.1161/CIRCULATIONAHA.118.036768.

PMID:30586700

[Primary and secondary prevention of stroke and systemic embolism with rivaroxaban in patients with non-valvular atrial fibrillation : Sub-analysis of the EXPAND Study.](#)

Uchiyama S, Atarashi H, Inoue H, Kitazono T, Yamashita T, Shimizu W, Ikeda T, Kamouchi M, Kaikita K, Fukuda K, Origasa H, Shimokawa H.

Heart Vessels. 2019 Jan;34(1):141-150. doi: 10.1007/s00380-018-1219-0. Epub 2018 Jul 6.

PMID:29980835

[Two-year results after coronary stenting of small vessels in Japanese population using 2.25-mm diameter sirolimus-eluting stent with bioresorbable polymer: primary and long-term outcomes of CENTURY JSV study.](#)

Saito S, Ando K, Ito Y, Tobaru T, Yajima J, Kimura T, Kadota K.

Cardiovasc Interv Ther. 2019 Jan;34(1):25-33. doi: 10.1007/s12928-018-0511-3. Epub 2018 Jan 18.

PMID:29349686

[Valve-sparing aortic root surgery. CON: remodeling.](#)

Kunihara T.

Gen Thorac Cardiovasc Surg. 2019 Jan;67(1):82-92. doi: 10.1007/s11748-017-0833-6. Epub 2017 Sep 16. Erratum in: Gen Thorac Cardiovasc Surg. 2018 Jan 8;.

PMID:28918516

[Eleven-year temporal trends of clinical characteristics and long-term outcomes in patients undergoing percutaneous coronary intervention for acute coronary syndrome in the Shinken database.](#)

Numao Y, Suzuki S, Kano H, Yajima J, Oikawa Y, Matsuno S, Arita T, Yagi N, Semba H, Kato Y, Otsuka T, Uejima T, Yamashita T.
Heart Vessels. 2019 Feb;34(2):199-207. doi: 10.1007/s00380-018-1229-y. Epub 2018 Jul 24.
PMID:30043155

[Postmarketing surveillance on clinical use of edoxaban in patients with nonvalvular atrial fibrillation \(ETNA-AF-Japan\): Three-month interim analysis results.](#)

Yamashita T, Koretsune Y, Ishikawa M, Shiosakai K, Kogure S.
J Arrhythm. 2018 Dec 26;35(1):121-129. doi: 10.1002/joa3.12149. eCollection 2019 Feb.
PMID:30805052

[Sensory evaluation of edoxaban orally disintegrating tablets: an open-label interventional study \(secondary publication\).](#)

Yamashita T, Hagii J, Morishima Y, Akasaka T, Matsumoto T, Kimura T.
Thromb J. 2019 Feb 15;17:3. doi: 10.1186/s12959-019-0192-x. eCollection 2019.
PMID:30814914

[Comparative effectiveness and safety of warfarin and dabigatran in patients with non-valvular atrial fibrillation in Japan: A claims database analysis.](#)

Koretsune Y, Yamashita T, Yasaka M, Ono Y, Hirakawa T, Ishida K, Kuroki D, Sumida T, Urushihara H.
J Cardiol. 2019 Mar;73(3):204-209. doi: 10.1016/j.jcc.2018.09.004. Epub 2018 Nov 23.
PMID:30477926

偽腔閉塞型大動脈解離を疑った IgG4 関連胸部大動脈瘤の 1 例
松濱 稔, 小林卓馬, 國原 孝, 後藤智行
日本心臓血管外科学会雑誌 2018;47,88-92.

術後虚血領域の改善が証明された右冠動脈肺動脈起始症の 1 例
松濱 稔, 有村聡士, 佐々木健一, 國原 孝
日本心臓血管外科学会雑誌 2019;48,111-114.